LARGE FORMAT PRINTERS SURECOLOR™ SC-T3130/T3130N/T3430/T5130/T5430





Great performance packed into a compact size, the Epson T-series printers are engineered to enhance work processes. With their ability to print accurate line placements, they are the ideal printing solution for blueprints, line drawings, graphics, and posters. With the built-in wireless connectivity, print jobs can be sent effortlessly from smart devices. The T-series is built to ensure fast printing speeds while delivering accuracy in every print. Share your vision and ideas clearly in your prints because the details, matter.







Direct



Genuine Inks





Water PC Free Resistant USB Memory^a





IT'S IN THE DETAILS.

With Epson UltraChrome" ink, the SureColor T-series printers redefine consistent, quality printing.

Compact, User-Friendly Design

Small footprint with ergonomic design and convenient features bring greater efficiency and smoother workflow.

Trusted Productivity

Print from anywhere in the office with the built-in wireless connectivity. Advanced PrecisionCore" printhead ensures superior reliability.

Outstanding Speed & Quality

Print A1 in just 22 seconds3. The all-pigment UltraChrome XD2 ink ensures durable printouts.





Ideal For Corners

As the printers are built for a full front operation, they can be placed ideally in any corner of the office, without taking up too much space.



User Convenience In Mind

Designed with the user in mind, the printer will print and cut printouts without dropping it from the printer, until it is ready to be collected.



Ergonomically Design

Designed with the user in mind, the T-series printers' smart design can cater to users of different heights to help make it comfortable for them to load the media as well as to operate the printers.



Auto Switch Function*

As the T-series printers takes into account smaller sized offices, it is developed to allow loading of a range of paper sizes. The Auto Switch Function enables a seamless switch between roll paper and cut sheet paper, reducing the need for a second printer for additional A3 or A4 printing.

*Supported only on SC-T3130/T3130N/T5130



Trusted Productivity

Wireless Connectivity

The T-series is integrated with Wi-Fi and Wi-Fi Direct, making it convenient to print right from smart devices from anywhere in the office. The Wi-Fi Direct function acts as an access point, allowing devices to connect directly to the printer without a router. Additionally, the T-series printers come equipped to allow direct wireless printing from any Apple devices through Apple AirPrint, without the need for any additional drivers.






Control At Your Fingertips

A 4.3 inch touch panel on the T-series gives you the convenience of an easy setup and a PC-less operation that just makes things extra efficient.



Preview Before Printing


Save time and money when you preview your documents before printing, preventing accidental misprints that could otherwise lead to wastage.



Seamless Scan To Print

Scan and enlarge your printouts in just four easy steps without needing to connect to a computer. Using compatible Epson scanners*, you can seamlessly scan and print directly from the T-series printers.


*Recommended scanners: WorkForce DS-530, DS-6500, DS-60000.



Precision Printhead Technology

The T-series comes equipped with the next-generation PrecisionCore printhead technology, enabling superior print speed, quality and reliability. PrecisionCore technology utilises piezo elements to mechanically eject the ink. This heatless technology prolongs printhead longevity, providing reliable long-term operation.







The PrecisionCore technology, as well as Variable Size Dot Technology, allow the ink droplets to be controlled to the finesse of 3.5 picolitres,

Nozzle Verification Technology

Print without interruptions with the advanced built-in Nozzle Verification Technology (NVT). This technology monitors nozzle health and adjusts print quality automatically without interruption, even during printing.





The piezo element (sensor) detects the residual vibration (pressure change) in the ink chamber and diagnoses the nozzle condition.

If a clogged nozzle is indicated by an irregular vibration pattern, the printer automatically adjusts the print quality.



Anti-dust Design

Incorporating a unique anti-dust design, the T-Series printers require minimal cleaning and maintenance that are required for environments that are traditionally dusty, such as, construction sites.



Convenience & Accessibility

Featuring front access for all your operations, you can easily place the T-series printers up against a wall and in a corner, keeping your space free for other things. Printouts, ink changes, and paper replacements can all be easily accessed from the front, to enable greater convenience.



PARTNERS IN PERFECTION







WorkForce DS-530

WorkForce DS-6500

WorkForce DS-60000

Scan and enlarge your printouts effortlessly with Epson scanners. The SureColor T-series is compatible with the Epson WorkForce DS-530, DS-6500 and DS-60000 scanners. Simply connect the scanner to the printer and you can enlarge the printout.

SPECIFICATIONS

SURECOLOR™ SC-T3130/T3130N/T3430/T5130/T5430



Model Name	SC-T3130	SC-T3130N	SC-T3430		
Printer Width	24°		19.74		
Print Technology					
Printhead	PrecisionCore TFP®	Printhead 1.3*			
Nozzle Configuration	3200 nozzles (800 nozzles x 4 channels x 1 head)				
Maximum Resolution	2400 x 1200 dpi				
Minimum Ink Droplet Volume	4.0pl				
	4,051				
Print Speed	T. Control		Lee		
CAD (A1)	34 sec		25 sec		
Ink System	128 He H	2020			
Ink Type	Epson UltraChrome XD2 Pigment Ink				
Colours	4 colours - Cyan, Magenta, Yellow, Black				
Ink Capacity	Black: 50ml , 80ml Cyan, Magenta, Yellow: 26ml, 50ml		Cyan, Magenta, Yellow and Black: 110m Cyan, Magenta, Yellow and Black: 350m		
Paper Handling					
Maximum Roll Diameter/Weight	2" core, Max. 110 mm/3kg		2/3" Core, Max. 170 mm/8kg		
Paper Width	Roll: 329 mm to 610 mm Cutsheet (ASF): A4 to A3 Cutsheet (1 sheet): 210 mm to 610 mm		Roll: 254 mm to 610 mm Cutsheet: 210 mm to 610 mm		
Media Type	Inkjet Coated Paper, Tracing Paper, Plain Paper				
Side Margin	Inkjet Coated Paper, Tracing Paper, Plain Paper 3 mm				
Media Thickness	Roll: 0.05 mm to 0.21	mm	Up to 0.3 mm		
Media Trickress	ASF/Cutsheet: 0.12 r		op to 0.3 min		
Borderless Print	N/A		Yes		
Auto-Sheet Feeder	Yes (Up to A3)		N/A		
Control Panel	4.3° Touch Screen				
Connectivity					
VF	USB/LAN/WiFi				
			Yes		
USB Direct	N/A				
Printer Interfaces	Super-Speed USB*, 100BASE-TX /1000B	ASE-T/IEEE802.11b/g/n	Super-Speed USB, 100BASE-TX / 1000BASE-T,IEEE802.11b/g/n, USB Hos		
Printer Languages	ESC/P rasterHP-GL/2, HP RTL				
Scanner Integration	Supports Epson Document Scanner				
Advanced Printer Driver					
Memory	Crop/Rotate/Enlarge Tools 1GB				
Software (Bundled in CD)	Windows Install Navi - Printer driver - EpsonNet Setup - EpsonNet Print - EpsonNet Config - Epson Software Updater - LFP Print Plug-in for Office - Epson manuals Mac Setup Navi				
Printer Management	N/A Epson Edge Da		Epson Edge Dashboard Accounting Tool		
Power and Operating Requirements					
Power Requirements	AC 100-240V Frequency: 50/60Hz				
Power Consumption	Operating: Approx. 28W; Ready: Approx. 8W; Sleep: Approx. 1.6 W; Power Off: Approx 0.2W		Operating: Approx. 34W; Ready: Approx. 1.3W; Sleep: Approx. 1.3 W Power Off: Approx 0.25W		
Recommended Operating Temperature & Humidity	Operating: 20 to 80% (no condensation), Storage: 5 to 85% (no condensation)				
Printer Dimensions	1000				
Dimensions	970 x 696 x 913 (Wxl	OxH) 970 x 505 x 230 (Wxt	DxH) 1080 x 750 x 1060 (WxDxH)		
	2.00		I MANUAL TO THE PARTY OF THE PA		
Weight	38kg (without ink cartridge	s) 27kg (without ink cartridge	64kg (without ink)		
What's in the box	Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM, Maintenance box and Roll Spindle				
Options	Roll Feed Spindle (24	") Stand (24") Roll Feed Spindle (24	Roll Feed Spindle (24")		
Consumables	Auto Cutter Spare Blade Maintenance Box				
	3-years warranty				

Dimensions and Weight

SureColor SC-T3130 Weight: 38kg (without ink cartridges)



SureColor SC-T3130N Weight: 27kg (without ink cartridges)



SureColor SC-T3430 Weight: 64kg (without ink)



*Compatible with the USB 3.0 specification.

SURECOLOR™ SC-T3130/T3130N/T3430/T5130/T5430



Model Name	SC-T5130	SC-T5430	Dimensions and Weight
Printer Width	36"		
Print Technology			SureColor SC-T5130
Printhead	PrecisionCore TFP® Printhead 1.3®	Weight: 46kg (without ink cartridges)	
Nozzie Configuration	3200 nozzles (800 nozzles x 4 channels x 1 head)		1268mm
Maximum Resolution	2400 x 1200 dpi		(2)
Minimum Ink Droplet Volume	4.0pl		
Print Speed			913mm
CAD (A1)	31 sec	22 sec	9.559787
Ink System	51300	22.300	
Ink Type	Engo I BroChroma VD2 Blomast lok		696mm
Colours	Epson UltraChrome XD2 Pigment Ink		
	4 colours - Cyan, Magenta, Yellow, Black Black: 50ml , 80ml	Cyan, Magenta, Yellow and Black: 110ml	SureColor SC-T5430
Ink Capacity	Cyan, Magenta, Yellow: 26ml, 50ml	Cyan, Magenta, Yellow and Black; 350ml	Weight: 76kg (without ink)
Paper Handling		<u>'</u>	1005
Maximum Roll Diameter/Weight	2" core, Max. 110 mm/5kg	2/3" Core, Max. 170 mm/12kg	1385mm
Paper Width	Roll: 329 mm to 914 mm Cutsheet(ASF): A4 to A3 Cutsheet(1 sheet): 210 mm to 910 mm	Roll: 254 mm to 914 mm Cutsheet: 210 mm to 914 mm	1060mm
Media Type	Inkjet Coated Paper, Tracing Paper, Plain Pape	r	
Side Margin	3 mm		
Media Thickness	Roll: 0.05 mm to 0.21 mm	Up to 0.3 mm	- "
	Auto Sheet Feeder/Cutsheet: 0.12 mm to 0.27 mm	n	
Borderless Print	N/A	Yes	*Compatible with the USB 3.0 specification.
Auto-Sheet Feeder	Yes (Up to A3)	N/A	—
Control Panel	4.3" Touch Screen		——————————————————————————————————————
Connectivity			
VF.	USB/LAN/WiFi		
USB Direct	N/A	Yes	
Printer Interfaces	Super-Speed USB*, 100BASE-TX /1000BASE- IEEE802.11b/g/n	T/ Super-Speed USB, 100BASE-TX / 1000BASE-T,IEEE802.11b/g/n, USB Host	_
Printer Languages	ESC/P raster HP-GL/2, HP RTL *1		_
Scanner Integration	Supports Epson Document Scanner		
Advanced Printer Driver	Crop/Rotate/Enlarge Tools		
Memory	1GB		
Software (Bundled in CD)	Windows Install Navi - Printer driver - EpsonNet Setup - Epson Software Updater - LFP Print Plug-in for Mac Setup Navi		
Printer Management	N/A	Epson Edge Dashboard Accounting Tool	a-11/3
Power and Operating Requirements			74.5000
Power Requirements	AC 100-240V Frequency: 50/60Hz		© 2018 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON
Power Consumption	Operating: Approx. 28W; Ready: Approx. 8W; Sleep: Approx. 1.6 W; Power Off: Approx 0.2W	Operating: Approx. 38W; Ready: Approx. 1.3W; Sleep: Approx. 1.3 W; Power Off: Approx 0.25W	and EXCEED YOUR VISION are registered trademarks of Seiko Epison Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks.
Recommended Operating Temperature & Humidity	Operating; 20 to 80% (no condensation), Storage: 5 to 85% (no condensation)		or registered trademarks of their respective owners. Epson declaims any and all rights in those marks. Print samples shown are simulations only. Specification
Printer Dimensions		■ NOVEMBER TO SERVICE STATE AND ADDRESS OF THE SERVICE STATE AND	and product availability are subject to change without
Dimensions	1268 x 696 x 913 (WxDxH)	1385 x 966 x 1060 mm (WxDxH)	notice and may vary between countries. Please check with local Epson offices for more information.
Weight	46kg (without ink)	76kg (without ink)	Apple, Pad and iPhone are trademarks of Apple Inc.,
What's in the box	Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM, Maintenance box and Roll Spindle		registered in the U.S. and other countries. App Store is service mark of Applie Inc.
Options	Roll Feed Spindle (36*)		Dealer's Stamp
Consumables	Auto Cutter Spare Blade Maintenance Box		_
Warranty	3-years warranty		









